

MATERIAL SAFETY DATA SHEET



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Commercial Name: Binol Cool 622
Manufacturer name: AarhusKarlshamn Sweden AB
address: SE-374 82 KARLSHAMN, SWEDEN
phone no: +46 454 828 00
fax no: +46 454 75 20 76

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Composition: Composition (preparation) containing vegetable oils

<u>Hazardous components:</u>	<u>Wt %:</u>	<u>Classification:</u>
Boric acid/amine condensation products (CAS no. 68954-07-4, 111-42-2)	10-30	Xn, R22, 38, 41, 48/22
Sodium pyrithione	<1%	XnN, R20/21/22, 36/38, 50

3. HAZARDS IDENTIFICATION

Health: Harmful: the product may cause serious damage to the health by prolonged exposure if swallowed. Due to the relatively high pH value, the product is irritating to the skin and may cause serious damage to the eye.

Environment: Regulations forbid the disposal of lubricants in the environment without special permit.

Physico-chemical hazards: No particular risk of ignition or explosion.

Specific risks: None

4. FIRST AID MEASURES

Inhalation: Not concerned.

Skin contact: Wash with detergent and water.

Eye splashes: Flush with generous amounts of temperate water for a minimum of 15 minutes. Seek medical help if the problems remain.

Ingestion: Drink water or milk. Do not induce vomiting.

5. FIRE-FIGHTING MEASURES

Extinguishing media

recommended:	CO ₂ , dry powder, foam.
not recommended:	Water in a jet.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: None necessary in ventilated environments.

Environment protection: Avoid pollution of sewers and water.

Cleaning means: For easy removal, use inert absorbent or sand.

MATERIAL SAFETY DATA SHEET



7. HANDLING AND STORAGE

Handling

General: Avoid exposure to temperatures $< +5$ and $> +40^{\circ}\text{C}$ for emulsion stability reasons.

Personal protection: Avoid prolonged and repeated contact with skin. Remove soaked clothes immediately. Use safety goggles or the like.

Storage

Recommended conditions: Storage temperature $+10$ to $+40^{\circ}\text{C}$. Store in closed container, preferably as delivered, and separated from strong acids. Storage stability is at least 12 months.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Technical measures: Exposure should be minimised preferably with technical measures rather than personal protective equipment.

Personal protective equipment

Respiratory protection: Not necessary in normal use.

Hand protection: Impermeable gloves recommended (e.g. PVC or rubber gloves).

Eye protection: Safety goggles recommended.

Others: Not necessary.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Transparent microemulsion fluid

Colour: Yellow (to brown)

Odour: Faint amine-related odour

pH value -concentrate: 10.0

 -dilution (5 %): 9.3

Melting point: Approx. 0°C

Flash point: Not concerned

Vapour pressure: Negligible under normal conditions

Density (20°C): 1.050 kg/m^3

Solubility in water: Soluble, forms a transparent emulsion

Solubility in organic solvents: Poor

10. STABILITY AND REACTIVITY

Stability: Stable product under ordinary conditions.

Hazardous reactions: Non known

Conditions to be avoided: Elevated temperatures ($>100^{\circ}\text{C}$), acids and strong oxidizing agents.

Hazardous decomposition products: See above. Apart from above noted reaction no other hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity (OECD 401): LD_{50} rat $>2000\text{ mg/kg}$

The result is a concluded value based on information on the ingredients of the product. The formulated product has not been tested on animals.

MATERIAL SAFETY DATA SHEET



12. ECOLOGICAL INFORMATION

No tests have been performed on the product.

13. DISPOSAL CONSIDERATIONS

Used product: As per existing national regulations.
Used packaging: As per existing national regulations.

14. TRANSPORT INFORMATION

The product is not classified as dangerous goods by ADR (land), IMDG (sea) and/or ICAO (air).

15. REGULATORY INFORMATION

Symbols:	Xn	- Harmful
Risk phrases:	R22	- Harmful if swallowed.
	R48/22	- Harmful: danger of serious damage to health by prolonged exposure if swallowed.
	R38	- Irritating to skin.
	R41	- Risk of serious damage to eyes.
Safety phrases:	S24	- Avoid contact with skin.
	S26	- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S39	- Wear eye/face protection.
	S46	- If swallowed, seek medical advice immediately and show this container or label.

The product is classified according to current EU Regulations.

16. OTHER INFORMATION

The product is a vegetable oil-containing general purpose metalworking fluid. The product should be mixed with water, typically to a 4-10 % dilution, for metalworking applications.